


Corsican Pine (T1)



Highest Risk	Acceptable
Risk Reduction	N/A
Tree Management	N/A
Review Year	
Date Assessed	2025-05-27 13:03
Assessed By	J T
Phone Number	07733235606
Email	james.tyson@cotswold.gov.uk



Summary

Risk

Tree Details and Location



Species	Height (m)	Stem Ø (cm)	Crown Ø (m)
Corsican Pine Pinus nigra salzmannii	20m	75cm	5m
Church Westcote			

Likelihood of Occupation



Risk Inputs

Structure

Parked

Services

Train | Tram

Property

Tree

Stem

Branch

Deadwood

O

C

2  
High

F

5  
Very Low

Consequences



Likelihood of Failure

VITALITY	V	crown density woundwood response growth	G
ANATOMY	A	wood properties architecture H/D ratio	G
LOAD	L	exposure changes to the tree changes around tree	A
IDENTITY	I	species profile age of wounds CODIT	G
DEFECT	D	soundwood decay - extent feature or fault	G

Foliage colour and density as expected for healthy tree of this species. Minor deadwood as would be expected.
Good H/D Ratio as expected for species and age of tree. Slight unbalance in crown due to tree to N being previously removed in 2020....
Previous removal of tree to N. Resulting in unbalanced crown.
No major pruning. No significant deadwood present.
No significant risk features. Slight lean towards property due to growing with a companion tree.

Notes

The highest risk is tree failing and damaging property